

**BMT CTN 1703
Biospecimen Availability Summary**

**Patient Sample Totals
(315 Patients)**

Sample Type	Pre-Conditioning	Pre-Infusion	Post-Transplant Day																
			7	14	21	28	35	42	49	56	63	70	77	84	98	180	270	365	730
Plasma (Heparin)	290	294	298	285	270	264	258	249	251	239	234	232	223	226	223	203	175	181	129
Viable PBMC	270	283	250	231	257	254	249	246	247	234	229	228	218	221	217	196	174	174	128
Serum	294	295	298	286	269	264	258	250	250	240	236	232	223	226	225	203	177	184	128
Whole Blood (EDTA)	98		88	97	268	70	248	249	251	239	59	226	222	225	57	39	30	35	60
Urine	260	266	269	256	228	219	151	145	150	143	140	133	128		129	108	81	90	63
Stool (RNA later)	227	225	236	202	194	192	112	104	98	100	86	89	83		79	61	44	41	24
Stool (No preservative)	230	237	259	228	202	196	114	104	100	101	87	91	86		80	63	44	42	24

**Research Sample Aliquot Totals
(119,538 Patient Sample Aliquots Available at the BMT CTN Repository)**

Sample Type	Pre-Conditioning	Pre-Infusion	Post-Transplant Day																
			7	14	21	28	35	42	49	56	63	70	77	84	98	180	270	365	730
Plasma (Heparin)	3762	3636	3936	3706	3417	3287	3176	2987	2969	2715	2686	2646	2488	2471	2541	1978	1443	1470	893
Viable PBMC	413	290	251	235	289	325	318	288	308	297	311	290	261	263	279	270	247	284	377
Serum	1488	1537	1619	1547	1362	1296	1229	1149	1132	1036	1025	1001	900	923	944	629	461	459	216
Whole Blood (EDTA)	127		111	119	498	83	443	428	454	419	76	385	386	393	70	44	35	40	93
Urine	2399	2415	2381	2275	1974	1851	1364	1279	1303	1255	1224	1150	1095		1097	795	514	554	315
Stool (RNA later)	430	415	431	373	363	354	213	195	186	187	165	172	155		159	121	86	76	44
Stool (No preservative)	852	821	860	753	725	711	426	386	367	371	324	345	307		315	242	169	152	87

**Donor Sample Totals
(30 Donors)**

Sample Type	Donor Pre-Donation
Plasma (Heparin)	28
Viable PBMC	19
Serum	28
Whole Blood (EDTA)	16
Urine	24
Stool (RNA later)	17
Stool (No preservative)	21

**Research Sample Aliquot Totals
(904 Donor Sample Aliquots Available at the BMT CTN Repository)**

Sample Type	Donor Pre-Donation
Plasma (Heparin)	358
Viable PBMC	93
Serum	120
Whole Blood (EDTA)	21
Urine	218
Stool (RNA later)	31
Stool (No preservative)	63